

FULL EXTRACT CANNABIS OIL 300 MG 30 MI



Page 1 of 7

NAKED CBD

160 W Camino Real Ste 192 Boca Raton, FL 33432 877.625.3317 hello@nakedcbd.com





SAMPLE:D808002-05

Ma:abt/0/\

METRC/Biotrack#N/A Harvest/Lot ID: N/A

Batch#: N/A, Batch Size: N/A -grams Ordered: 7/31/2018 Sampled:7/31/2018 Completed: 8/3/2018 1:31:49 PM Expires: 08/03/19

Sampling Method: SOP SOP Client Method

Image

Safety



Pesticides - Tested Microbials - Tested Mycotoxins - Tested Heavy Metals - Tested Terpenes - Tested Residual-Solvents - Tested Filth - Tested Water Activity - NT Moisture - NT

Matrix: N/A

Cannabinoids

0.04%	0.87%
Total THC	Total CBD
12.0mg	276.05mg
THC/Container	CBD/Container

Cannabinoids

A

Analyte	Weight(%)	mg/g
D9-THC	0.042	0.42
THCa	0.002	0.02
TOTAL THC	0.04	0.4
CBD	0.869	8.69
CBDa	0.002	0.02
TOTAL CBD	0.87	8.7
CBN	0.001	0.01
CBDV	0.009	0.09
D8-THC	0.001	0.01
THCV	ND	ND
CBG	0.022	0.22
CBGA	0.001	0.01
CBC	0.038	0.38
TOTAL CANNABINOIDS	0.987	9.87

0.042	0.002	0.869	0.002	0.001	0.009	0.001	ND	0.022	0.001	0.038
D9-THC	THCa	CBD	CBDa	CBN	CBDV	D8-THC	THCV	CBGA	CBG	CBC



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL 33314 1-954-368-7664 info@eviolabsfl.com

Jorge Segredo Lab Director State License # n/a ISO Accreditation # 97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoO) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



FULL EXTRACT CANNABIS OIL 300 MG 30





NAKED CBD

160 W Camino Real Ste 192 Boca Raton, FL 33432 877.625.3317 hello@nakedcbd.com





SAMPLE:D808002-05

METRC/Biotrack#N/A Harvest/Lot ID: N/A Batch#: N/A, Batch Size: N/A -grams Ordered: 7/31/2018 Sampled: 7/31/2018

Completed: 8/3/2018 1:31:49 PM Expires: 08/03/19 Sampling Method: SOP SOP Client Method

Terpenes	Test result %
Cedrol	ND
(1S)-(+)-3-Carene	ND
Limonene	ND
(1R)-Endo-(+)-Fenchyl Alcohol	ND
(-)-Alpha-Bisabolol	ND
alpha Bisabolol	ND

p-Mentha-1,5-diene ND beta Myrcene ND alpha-Cedrene ND ND alpha-Humulene alpha-pinene ND alpha Terpinene ND beta Pinene ND Borneol ND Camphene ND Camphor ND Caryophyllene Oxide ND ND cis Nerolidol Eucalyptol ND Farnesene ND enchone ND gamma Terpinene ND ND Geraniol Geranyl-Acetate ND Guaiol ND Hexahydrothymol ND Isoborneol ND Isopulegol ND Linalool ND Nerol ND Ocimene ND Pulegone ND Sabinene ND Sabinene-Hydrate ND Terpineol ND Terpinolene ND trans caryophyllene ND



trans-Nerolidol

Valencene Total

> 4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL 33314** 1-954-368-7664 info@eviolabsfl.com

ND ND

0



Jorge Segredo Lab Director

State License # n/a ISO Accreditation # 97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



FULL EXTRACT CANNABIS OIL 300 MG 30





Page 3 of 7

NAKED CBD

160 W Camino Real Ste 192 Boca Raton, FL 33432 877.625.3317 hello@nakedcbd.com





SAMPLE:D808002-05

METRC/Biotrack#N/A Harvest/Lot ID: N/A

Batch#: N/A, Batch Size: N/A -grams Ordered: 7/31/2018 Sampled:7/31/2018 Completed: 8/3/2018 1:31:49 PM Expires: 08/03/19

Sampling Method: SOP SOP Client Method

Pesticides	LOQ	Action Level	Result	Units	Туре
Abamectin	0.01	0.5	ND	ppm	Insecticide
Acephate	0.01	0.4	ND	ppm	Insecticide
Acetamprid	0.01	0.2	ND	ppm	Insecticide
Aldicarb	0.01	0.4	ND	ppm	Insecticide, Nematicide
Azoxystrobin	0.01	0.2	ND	ppm	Fungicide
Bifenazate	0.01	0.2	ND	ppm	Insecticide
Bifenthrin	0.01	0.2	ND	ppm	Acaricide, Insecticide
Boscalid	0.01	0.4	ND	ppm	Fungicide
Carbaryl	0.01	0.2	ND	ppm	Insecticide
Carbofuran	0.01	0.2	ND	ppm	Insecticide, Nematicide
Chlorantraniliprole	0.01	0.2	ND	ppm	Insecticide
Chlorpyrifos	0.01	0.2	ND	ppm	Organophosphate Insecticide
Clofentezine	0.01	0.2	ND	ppm	Tetrazine Acaricide
Cyfluthrin	0.01	2	ND	ppm	Pyrethroid Insecticide
Cypermethrin	0.01	1	ND	ppm	Pyrethroid Insecticide, Veterinary substance
Daminozide	0.01	1	ND	ppm	Plant growth regulator
DDVP (Dichloryos)	0.01	0.1	ND	ppm	Organophosphate Insecticide, Acaricide, Metabolite
Diazinon	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide, Repellent
Dimethoate	0.01	0.2	ND	ppm	Organophosphate Insecticide, Acaricide, Metabolite
Ethoprophos	0.01	0.2	ND	ppm	Insecticide, Nematicide
Etofenprox	0.01	0.4	ND	ppm	Pyrethroid Insecticide
Etoxazole	0.01	0.2	ND	ppm	Diphenyl oxazoline Acaricide
Fenoxycarb	0.01	0.2	ND	ppm	Carbamate Insecticide
Fenpyroximate	0.01	0.4	ND	ppm	Pyrazolium Acaricide, Insecticide
Fipronil	0.01	0.4	ND	ppm	Phenylpyrazole Insecticide
Flonicamid	0.01	1	ND	ppm	Pyridine Insecticide, Aphicide
Fludioxonil	0.01	0.4		ppm	Phenylpyrrole Fungicide
Hexythiazox	0.01	1	ND	ppm	Carboxamide Acaricide
Imidacloprid	0.01	0.4	ND	ppm	Neonicotinoid Insecticide



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL 33314 1-954-368-7664 info@eviolabsfl.com

Jorge Segredo Lab Director State License # n/a ISO Accreditation # 97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, pmp=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measurements analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



FULL EXTRACT CANNABIS OIL 300 MG 30





Page 4 of 7

NAKED CBD

160 W Camino Real Ste 192 Boca Raton, FL 33432 877.625.3317 hello@nakedcbd.com





SAMPLE:D808002-05

METRC/Biotrack#N/A Harvest/Lot ID: N/A

Batch#: N/A, Batch Size: N/A -grams Ordered: 7/31/2018 Sampled:7/31/2018 Completed: 8/3/2018 1:31:49 PM Expires: 08/03/19

Sampling Method: SOP SOP Client Method

Imazalil 0.01 0.2	ND ND ND ND ND ND ND	ppm ppm ppm ppm ppm ppm	Type Imidazole Fungicide Neonicotinoid Insecticide Strobilurin Fungicide, Bactericide Organophosphate Insecticide, Acaricide Phenylamide Fungicide Carbamate Insecticide, Molluscicide, Bird repellent
Kresoxim-methyl 0.01 0.2 Malathion 0.01 0.2 Metalaxyl 0.01 0.2 Methiocarb 0.01 0.2	ND ND ND ND	ppm ppm ppm ppm	Strobilurin Fungicide, Bactericide Organophosphate Insecticide, Acaricide Phenylamide Fungicide Carbamate Insecticide,
Malathion 0.01 0.2 Metalaxyl 0.01 0.2 Methiocarb 0.01 0.2	ND ND ND	ppm ppm ppm	Organophosphate Insecticide, Acaricide Phenylamide Fungicide Carbamate Insecticide,
Metalaxyl 0.01 0.2 Methiocarb 0.01 0.2	ND ND	ppm ppm	Acaricide Phenylamide Fungicide Carbamate Insecticide,
Methiocarb 0.01 0.2	ND ND	ppm	Carbamate Insecticide,
	ND		
Methornyl 0.01 1		ppm	
•	ND		Carbamate Insecticide, Acaricide, Metabolite
Myclubtanil 0.01 0.2	140	ppm	Triazole Fungicide
Naled 0.01 0.5	ND	ppm	Organophosphate Insecticide, Acaricide
Oxamyl 0.01 1	ND	ppm	Carbamate Insecticide, Acaricide, Nematicide
pacolbutazrol 0.01 0.4	ND	ppm	Triazole Plant growth regulator; Fungicide
permethrins 0.01 0.2	ND	ppm	Pyrethroid Insecticide
phosmet 0.01 0.2	ND	ppm	Organophosphate Insecticide, Acaricide
piperonyl butoxide 0.01 2	ND	ppm	Cyclic aromatic; Performance enhancer, Synergist
prallathein 0.01 0.2	ND	ppm	Synthetic pyrethroid Insecticide
Propiconazole 0.01 0.4	ND	ppm	Triazole Fungicide
Propoxur 0.01 0.2	ND	ppm	Carbamate Insecticide, Acaricide
Pyrethrins 0.01 1	ND	ppm	Insecticide
Pyridaben 0.01 0.2	ND	ppm	Pyridazinone Insecticide, Acaricide
Spinsosad 0.01 0.2	ND	ppm	Insecticide
Spiromesifen 0.01 0.2	ND	ppm	Tetronic acid Insecticide
Spirtetramat 0.01 0.2	ND	ppm	Tetramic acid Insecticide
Spiroxamine 0.01 0.4	ND	ppm	Morpholine Fungicide
Tebuconazale 0.01 0.4	ND	ppm	Triazole Fungicide
Thiacloprid 0.01 0.2	ND	ppm	Neonicotinoid Insecticide, Molluscicide
Thiamethoxam 0.01 0.2	ND	ppm	Neonicotinoid Insecticide
Trifloxystrobin 0.01 0.2	ND	ppm	Strobilurin Fungicide



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL 33314 1-954-368-7664 info@eviolabsfl.com

Jorge Segredo Lab Director State License # n/a ISO Accreditation # 97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



FULL EXTRACT CANNABIS OIL 300 MG 30 MI

Matrix: N/A



Page 5 of 7

NAKED CBD

123 BOCA RATON FL, United States 32117 (111) 111-1111 1111122@aol.com





SAMPLE:D808002-05

METRC/Biotrack#N/A **Harvest/Lot ID: N/A**Batch#: N/A, Batch Size: N/A -grams
Ordered: 7/31/2018 Sampled:7/31/2018

Completed: 8/3/2018 1:31:49 PM Expires: 08/03/19 Sampling Method: SOP SOP Client Method

Residual solvent	Action Level(ppm)	Pass/Fail	Results(ppm)
Propane	5000	N/A	ND
iso-Butane	5000	N/A	ND
n-Butane	5000	N/A	ND
neo-pentane	5000	N/A	ND
Methanol	3000	Pass	52.7
Ethylene-oxide	50	N/A	ND
iso-Pentane	5000	N/A	ND
Ethanol	5000	Pass	73.7
n-Pentane	5000	N/A	ND
Ethyl Ether	5000	N/A	ND
Acetone	5000	Pass	74.1
2,2-Dimethylbutane	290	N/A	ND
2-Propanol	5000	Pass	34
Acetonitrile	410	Pass	17.9
Dichloromethane	600	N/A	ND
2-Methylpentane	290	N/A	ND
2,3-Dimethbutane	290	N/A	ND
3-Methylpentane	290	N/A	ND
n-Hexane	290	Pass	12.9
Ethyl acetate	5000	N/A	ND
2-Butanol	5000	N/A	ND
Tetrahydrofuran	720	N/A	ND
Cyclohexane	3880	N/A	ND
Isopropyl Acetate	5000	N/A	ND
Benzene	2	N/A	ND
Heptane	5000	N/A	ND
1,4-Dioxane	380	N/A	ND
2-Ethoxyethanol	160	N/A	ND
Toluene	890	Pass	2.94
Ethylene gycol	620	N/A	ND
Ethylbenzene	2170	N/A	ND
1,3-Dimethylbenzene	890	Pass	2.94
1,4-Dimethylbenzene	2170	N/A	ND
1,2-Dimethylbenzene	2170	N/A	ND
Cumene	70	N/A	ND
Butanes	5000	N/A	ND
Hexanes	290	Pass	12.9
Pentanes	5000	N/A	ND
Xylenes	2170	N/A	ND



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL 33314 1-954-368-7664 info@eviolabsfl.com

Jorge Segredo Lab Director State License # n/a ISO Accreditation # 97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NCD=Not Detected, NA=Not Analyzed, ppm=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



FULL EXTRACT CANNABIS OIL 300 MG 30 MI

Matrix: N/A



Page 6 of 7

NAKED CBD

160 W Camino Real Ste 192 Boca Raton, FL 33432 877.625.3317 hello@nakedcbd.com





SAMPLE:D808002-05

METRC/Biotrack#N/A Harvest/Lot ID: N/A

Batch#: N/A, Batch Size: N/A -grams Ordered: 7/31/2018 Sampled:7/31/2018 Completed: 8/3/2018 1:31:49 PM Expires: 08/03/19

Sampling Method: SOP SOP Client Method

Cannabinoid Profile Test Result-Analysis Method :SOP.T.40.020, SOP.T.30.050 Analytical Batch:B8H0006

Reagent LOT ID #

Dilution id factor#C

filter id factor#C

Analytical Batch: B8H0009

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L).

Filth and foreign Materials-Analysis Method :SOP.T.40.013

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. An SH-2B/T Stereo Microscope is use for inspection.

Mycotoxin Analysis-Analysis MethodSOP.T.30.060, SOP.T.40.060 Analytical Batch: B8H0001 Results#C Analyte# Action Level#C Aflatoxin G2 0.02 Aflatoxin G1 ND 0.02 Aflatoxin B2 ND 0.02 Ochratoxin A ND 0.02 Aflatoxin B1 ND 0.02

Aflatoxins B1, B2, G1, G2, and Ochratoxins A testing using LC-MS. (Method: SOP.T.30.060 for Sample Preparation and SOP.T40.060 Procedure for Mycotoxins Quantification Using LCMS. LOQ 1.0 ppb). Total Aflatoxins (Aflotoxin B1, B2, G1, G2) must be <20μg/Kg. Ochratoxins must be <20μg/Kg.

Micro Analysis-Analysis method :SOP.T.40.043

Pathogens#	Results#C
Aspergillus flavus	Absent in 1 gram
Escherichia coli	Absent in 1 gram
Aspergillus terreus	Absent in 1 gram
Aspergillus fumigatus	Absent in 1 gram
Salmonella	Absent in 1 gram
Aspergillus niger	Absent in 1 gram

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.T.40.043) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL 33314 1-954-368-7664 info@eviolabsfl.com

Jorge Segredo Lab Director

State License # n/a ISO Accreditation # 97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.



FULL EXTRACT CANNABIS OIL 300 MG 30 MI

Matrix: N/A



Page 7 of 7

NAKED CBD

160 W Camino Real Ste 192 Boca Raton, FL 33432 877.625.3317 hello@nakedcbd.com





SAMPLE:D808002-05

METRC/Biotrack#N/A Harvest/Lot ID: N/A

Batch#: N/A, Batch Size: N/A -grams Ordered: 7/31/2018 Sampled:7/31/2018 Completed: 8/3/2018 1:31:49 PM Expires: 08/03/19

Sampling Method: SOP SOP Client Method

Pesticide Analysis-Analysis Method:SOP.T.30.060, SOP.T.40.060

solvent/reagent lot/ID #

solvent/reagent lot/ID #

Dilution factor #X

Analytical Batch :B8H0001

filter lot /ID #X

Pesticide screen is performed using LC-MS which can screen down to below single digit ppb concentrations for regulated Pesticides. Currently we analyze for 60 Pesticides. (Method: SOP.T.30.060 Sample Preparation for Pesticides Analysis via LCMSMS and SOP.T40.060 Procedure for Pesticide Quantification Using LCMS).

Heavy Metals Analysis-Analysis-Method:SOP.T.40.050, SOP.T.30.052

Dilution factor #X

Analytical Batch: B8H0002

filter lot /ID #X

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma – Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals using Method SOP.T.30.052 Sample Preparation for Heavy Metals Analysis via ICP-MS and SOP.T.40.050 Heavy Metals Analysis via ICP-MS.

Metal	Result	Action-Level
Lead	0.018	0.5
Mercury	0.128	3
Arsenic	ND	1.5
Cadmium	0.008	0.5
Abbreviation:ppm=Parts Per Million		

Residual SolventsAnalysis Method:SOP.T.40.032

Analytical Batch :B8H0003

1)Action Level for Medical Edible Cannabis Products, Supposition, Sublingual Products, and other Manufactured Product(ug/g). 2)Action Level for All Inhaled Medical Cannabis Goods(ug/g). 3)Action Level for Topical and Transdermal Medical Cannabis Goods(ug/g).

Terpenes screening-Analysis-Method:SOP.T.40.090

Analytical Batch :B8H0004

Terpenoid profile screening is performed using GC-MS/MS TQ-8040 with Liquid Injection (Gas Chromatography - Mass Spectrometer Triple Quad) which can screen 37 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC-MS/MS.



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL 33314 1-954-368-7664 info@eviolabsfl.com

Jorge Segredo Lab Director State License # n/a ISO Accreditation # 97164

This report shall not be reproduced, unless in its entirety, without written approval from EVIO Labs. This report is an EVIO Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation.